

# Table of Contents

***AWX with IPA LDAP*** ..... 3



## AWX with IPA LDAP

```
LDAP SERVER URI: ldap://idcgbmadmipa01.gbmdc.dc
LDAP BIND DN: uid=admin,cn=users,cn=accounts,dc=gbmdc,dc=dc
LDAP BIND PASSWORD: XDXXDXXD
LDAP USER DN TEMPLATE: uid=%(user)s,cn=users,cn=accounts,dc=gbmdc,dc=dc
LDAP GROUP TYPE: MemberDNGroupType
LDAP REQUIRE GROUP: cn=awx,cn=groups,cn=accounts,dc=gbmdc,dc=dc
LDAP USER SEARCH:
[
  "cn=users,cn=accounts,dc=gbmdc,dc=dc",
  "SCOPE_SUBTREE",
  "(cn=%(user)s)"
]
LDAP GROUP SEARCH:
[
  "cn=groups,cn=accounts,dc=gbmdc,dc=dc",
  "SCOPE_SUBTREE",
  "(objectClass=group)"
]
LDAP USER ATTRIBUTE MAP:
{
  "first_name": "givenName",
  "last_name": "sn",
  "email": "mail"
}
LDAP GROUP TYPE PARAMETERS:
{
  "name_attr": "cn",
  "member_attr": "member"
}
```

### References

- [https://docs.ansible.com/ansible-tower/latest/html/administration/ldap\\_auth.html](https://docs.ansible.com/ansible-tower/latest/html/administration/ldap_auth.html)

From:  
<https://estebanmonge.site/> - **Esteban Monge**

Permanent link:  
[https://estebanmonge.site/doku.php?id=ldap\\_awx](https://estebanmonge.site/doku.php?id=ldap_awx)

Last update: **2020/02/12 22:30**

